

**Profec Non return valve PVC-U  
110 mm glue socket 10bar  
DN80 grey type 5000 (0111574)**



# TECHNICAL SPECIFICATIONS

|                   |                     |
|-------------------|---------------------|
| Colour            | grey                |
| Type              | 5000                |
| Material          | PVC-U               |
| Material (spring) | stainless steel 302 |
| Material housing  | PVC-U               |
| Material seal     | EPDM                |
| Connection        | glue socket         |
| Gasket            | EPDM                |
| Temperature range | 0°C - 40°C          |
| Size              | 110 mm              |
| Length            | 266 mm              |
| DN                | 80                  |
| Outer ø           | 185 mm              |
| Opening pressure  | 0,025 bar           |
| Pressure          | 10 bar              |

## DIMENSIONS

|   |        |
|---|--------|
| L | 266 mm |
|---|--------|

|    |       |
|----|-------|
| L1 | 61 mm |
|----|-------|

**Last modified date: 07/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>