


**Foras Centrifugal pump cast
iron DN65 x 65 mm x DN50 x 50
mm DIN flange 10bar 24.7A
400/690VAC blue type MN50
200 A (0920311)**



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Material	Cast iron
----------	-----------

Material impeller 1	Cast iron
---------------------	-----------

Connection	DIN flange
------------	------------

Max. temperature	90 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Maximum ambient temperature	40 °C
-----------------------------	-------

Minimum ambient temperature	0 °C
-----------------------------	------

Type	MN50 200 A
------	------------

Output Power	20 HP
--------------	-------

Max. head	59.9 m
-----------	--------

Size	DN65 x 65 mm x DN50 x 50 mm
------	-----------------------------

Seal	type H
------	--------

Length	705 mm
--------	--------

Voltage	400/690VAC
---------	------------

Width	290 mm
-------	--------

Weight	132.5 kg
Power	15 kW
Height	360 mm
Max flow rate	78 m ³ /h
BEP Capacity	54
BEP Head	51
Efficiency	56 %
Press	50
Suction	65
Packaging dimensions L/W/H	810 x 354 x 480 mm

DIMENSIONS

Cb-1	160 mm
Cl-1	100 mm
Ct-1	200 mm
G-1	212 mm
H	360 mm
H	360 mm
L	705 mm

Mc 70 mm




O 14 mm

W-1 265 mm

W-2 290 mm

ØDi-1 65 mm

ØDi-2 50 mm



PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.

Mechanical seal.

Maximum water temperature 90°C.

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>