

# Rondsproeier messing 3/4" binnendraad 4,0 mm type RC 130 HH (0699008)



# TECHNISCHE SPECIFICATIES

Type RC 130 HH

Materiaal messing

Verbinding binnendraad

Sproeimond 4,0 mm

Capacity 3bar 1,08 m<sup>3</sup>/u

Capacity 4bar 1,22 m<sup>3</sup>/u

Capacity 5bar 1,36 m<sup>3</sup>/u

Maat 3/4"

Radius 3bar 15 m

Radius 4bar 15,2 m

Radius 5bar 15,8 m

Type RC 130 HH																	
4.0mm			4.0mm			4.0mm			4.0mm x 2.4mm			4.0mm x 2.4mm			4.0mm x 3.2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2.5	0.95	26.0	2.5	1.15	27.0	2.5	1.40	30.0	2.5	1.35	26.0	2.5	1.55	27.0	2.5	2.05	30.0
3.5	1.15	27.0	3.5	1.38	28.4	3.5	1.67	30.8	3.5	1.60	27.0	3.5	1.80	28.4	3.5	2.40	30.8
4.5	1.30	27.5	4.5	1.55	29.4	4.5	1.87	31.8	4.5	1.76	27.5	4.5	2.03	29.4	4.5	2.75	31.8

## PRODUCTINFORMATIE

Kunststof meedraaiende kap beschermt de veer en maakt deze sproeier geschikt voor overhead nachtvorstbestrijding.

**Gegenerereerd op datum: 24-05-2026**

<http://www.bosta.com>