


**Profec Ultrasonone watermeter
RVS 304 DN80 DIN flens 16bar
3.6V Li-battery grijs CE/MID
type Class 2 (7038811)**



TECHNISCHE SPECIFICATIES

Kleur	grijs
Type	Class 2
Materiaal	RVS 304
Keurmerk	CE/MID
Materiaal flens	nodulair gietijzer
Verbinding	DIN flens
Puls	10 ltr
MaximumReadingCapacity	99999999.99999
Connectiviteit	2-wire Mbus output
Min. temp.	0.1 °C
Spanning	3.6V Li-battery
Werkdruk	16 bar
IP waarde	IP68
Max. temp.	50 °C
Maat	DN80
Q1 ISO 4064 (2005)	0.1575 m ³ /u
Q3 ISO 4064 (2005)	63 m ³ /u

Q4 ISO 4064 (2005)	78.25 m ³ /u
--------------------	-------------------------

Lengte	225 mm
--------	--------

Breedte	205 mm
---------	--------

AFMETINGEN

H	280 mm
---	--------

Inbouwmaat	225
------------	-----

PRODUCTINFORMATIE

Ultrasone watermeter met batterij met levensduur van 10 jaar, IP68 klasse 2, PN16 en CE/MID-goedkeuring en Modbus-uitgang.

Gegenereerd op datum: 11-03-2026

<http://www.bosta.com>